



# CHHATTISGARH'S OWN CCTV BRAND

WEB : [SONIVISION.CO.IN](http://SONIVISION.CO.IN)

## ABOUT US

### OUR FOUNDER Mr. NILESH SONI



In 2010, as the world was breaking free from the shackles of recession and the IT industry of India was reviving from the turbulent market conditions, Mr. Nilesh Soni, an ordinary man living in Raipur city decided to start a retail business in the field of CCTV surveillance & security products with the name "Soni CCTV Cameras". When it came to acquiring new customers, maintaining stock, and providing fast & reliable service, the initial years were a struggle. Doing all this while trying to stand out from the competition and making a profit was the toughest challenge. With time & experience, Mr Soni figured out the mantra to manage customers, stock & service without affecting the profit margins.

But this was not enough. To make Soni CCTV a household name in Raipur, he needed to fix the 2 most important things i.e. price & after-sales service. Customers used to pay a handful of money while purchasing CCTV cameras. But after the sale, if the camera suffers from any problem, it has to be sent to the service centre of the brand. And almost every time the whole process costs both money & time. Customers had to wait almost 2 weeks before getting the repaired camera. This was a big problem for customers. And that too after paying hefty amounts for each camera.

To solve these problems, Mr Soni decided to start his own CCTV brand named "SONIVISION". Sonivision offers quality CCTV cameras that are made in India & more affordable. And most importantly provides super quick service. In many cases whenever any Sonivision camera breaks down, it is immediately swapped with the new working set. The basic idea of swapping cameras not only saves time & money but also provides assurance of service and builds customer trust. Since then, Sonivision has captured a major chunk of the CCTV market in Raipur and is consistently growing in other parts of Chhattisgarh & Orissa. Today, Sonivision cameras are installed & operational in every possible place. From banks to restaurants, offices to houses, corporate buildings to student hostels, and local shops to government offices, Sonivision is growing fast as Chhattisgarh's own CCTV brand.

#### ***Our Vision:***

Our vision is to fulfil the requirements of our clients in every possible way. We are leaders in giving satisfaction and service in the provision of quality cost-effective security systems. All of our systems are bespoke and created specifically for your needs. We are committed to finding our customers the best balance between price, quality and after-sales service to help you achieve your ultimate solution.

Sonivision with our theme "आपकी सुरक्षा हमारी गैरंटी" aims to provide its customers with the highest standards of service, equipment and ethical behaviour. We understand the importance of protecting your assets, your employees, your customers, your inventory and your business.

## IP INDOOR OUTDOOR CAMERA

## NETWORK IP CAMERA SERIES

### SVD3GN-IP-3MP

3 Mega Pixel



1/3" CMOS Image Sensor  
3 MP H/Resolution  
3.6 mm fixed lens (6 mm opt)  
Maximum 20/25 FPS @1080p/3MP  
18 smart IR Range upto 15 to 20 mtr  
H.265/H.264 Dual stream Enc.  
3 DDNR, AGC, AWB, BLC supported

### SVD5GN-IP-5MP

5 Mega Pixel



1/2.9" CMOS Image Sensor  
5 MP H/Resolution  
3.6 mm fixed lens (6 mm opt)  
Maximum 20/25 FPS @ 5 mp  
6 Array Range upto 1S to 20 mtr  
H.265/H.264 Dual stream Enc.  
3 DDNR, AGC, AWB, BLC supported

### SVB3GN-IP-3MP

3 Mega Pixel



1/2.9" CMOS Image Sensor  
5 MP H/Resolution  
3.6 mm fixed lens (6 mm opt)  
Maximum 20/25 FPS @ 5 mp  
6 Array Range upto 1S to 20 mtr  
H.265/H.264 Dual stream Enc.  
3 DDNR, AGC, AWB, BLC supported

### SVB5GN-IP-5MP

5 Mega Pixel



1/3" CMOS Image Sensor  
3 MP H/Resolution  
3.6 mm fixed lens (6 mm opt)  
Maximum 20/25 FPS @1080p/3MP  
18 smart IR Range upto 15 to 20 mtr  
H.265/H.264 Dual stream Enc.  
3 DDNR, AGC, AWB, BLC supported

## COLOUR NIGHT VISION IP INDOOR OUTDOOR CAMERA

### SVD3CN-IP-3MP

3 Mega Pixel



1/2.8" CMOS Image Sensor  
3 MP H/Resolution  
3.6 mm fixed lens (6 mm opt)  
Maximum 20/25 FPS @1080p/3MP  
2 Warm Led Range upto 20 to 25 mtr  
H.265/H.264 Dual stream Enc.  
3 DDNR, AGC, AWB, BLC supported

### SVD5CN-IP-5MP

5 Mega Pixel



1/2.9" CMOS Image Sensor  
5 MP H/Resolution  
3.6 mm fixed lens (6 mm opt)  
Maximum 20/25 FPS @5MP  
2 Warm Led Range upto 20 to 25 mtr  
H.265/H.264 Dual stream Em  
3 DDNR, AGC, AWB, BLC supported

### SVB3CN-IP-3MP

3 Mega Pixel



1/2.8" CMOS Image Sensor  
3 MP H/Resolution  
3.6 mm fixed lens (6 mm opt)  
Maximum 20/25 FPS @1080p/3MP  
2 Warm Led Range upto 20 to 25 mtr  
H.265/H.264 Dual stream Enc.  
3 DDNR, AGC, AWB, BLC supported

### SVB5CN-IP-5MP

5 Mega Pixel



1/2.9" CMOS Image Sensor  
5 MP H/Resolution  
3.6 mm fixed lens (6 mm opt)  
Maximum 20/25 FPS @5MP  
2 Warm Led Range upto 20 to 25 mtr  
H.265/H.264 Dual stream Enc.  
3 DDNR, AGC, AWB, BLC supported

## SPECIAL IP CAMERA

### BIG BULLET

4MP | 5MP | 8 MP



6mm To 50 mm Lens Available  
(Make Customize)

### COLOUR NIGHT VISION

4MP | 5MP | 8 MP



COLOUR VIEW CAMERA  
6mm To 50 mm Lens Available  
(Make Customize)

### IP FISHEYE CAMERA

4MP | 5MP | 8 MP



SVFE2CN-AHDS-2MP  
1/2.9" HD CMOS Image Sensor  
3 MP, 4 MP, 5 gP H/Resolution  
Maximum 20/25 Fps @1080p/3 MP  
16 mm fixed lens  
3 Array LED Range upto 15 to 20 Mr  
Day/Night, DNR, AGC, AWB, BLC

### Varifocal IP Bullet

4MP | 5MP | 8 MP



SVVF2CN-AHDS-2MP  
1/2.9" CMOS Image Sensor  
3MP/4MP/SMP H/Resolution  
2s to 1z mm VF lens t4X)  
24 Smart IR LED  
Maximum 25 FPS f 1080  
W/P standard IP-66  
H764/H.265 Dual stream Enc.

## NETWORK VIDEO RECORDER 5MP SERIES

### 8CH/16CH/32CH

5 Mega Pixel



#### FEATURES

Support with H.264/H.265 video compression  
HDMI/VGA simultaneously output  
Support 1CM/2CH Simultaneously Playback  
Support DMCP, FTP, DNS, NTP, UPNP, EMAIL, WiFi  
Support ONVIF protocol Bupto 5 mp supported  
Support WEB, CMS Platform.  
Support mobile phone monitoring (IOS Android)  
cloud serie, p2p, NTP, UPNP, EMAIL, IP searches,  
Alarm center etc.)

## SMART AUTO FOCUS NETWORK CAMERA

### IP PTZ 3MP | 5MP

AUTO FOCUS



SVPTZ5CN-AHDS-5MP  
1/2.8" CMOS Image Sensor  
3 | SMP M/Resolution 30X Zoom lens  
8 Big IR LED range upto 1%-120mtr  
Day/Night, DNR, AWB, AGC, BLC  
W/P Standard IP-66

### IP 4MP | 5MP | 8 MP

MOTORIZED



MODEL : SS-AF2777-IP

1/2.9", SMP progressive scan ultra-low  
illumination CMOS 2.7-13.Smm motorized  
zoom lens, Color : 0.1Lux@F1.2j  
B&W : 0Luxf F1.2 (IR on)  
H.265, H.264, DWDR, BLC/3D DNR/ROI.HLC

### IP 4MP | 5MP | 8 MP

MOTORIZED



MODEL : SS-AF1470-IP

1/2.@, SMP progressive scan ultra-low  
illumination CMOS 2.7-13.Smm motorized  
zoom lens, Color : 0.1Lus@F1.2,  
B&W : 0LuxgtF1.2 (IR on)  
H.265, H.264, DWDR, BLC/3D DNR/ROI.HLC

## AHD INDOOR OUTDOOR CAMERA

## AHD CAMERA SERIES

**MODEL: SVD2GN-2MP**

**2 Mega Pixel**



1/2.9" HD CMOS Image Sensor  
2 MP H/Resolution (1080P)  
3.6 mm fixed lens (6 mm opt.)  
Smart IR 15 to 20 Mtr  
Support AHD/CVI/TVI/CVBs  
3 DDNR, AGC, AWB, BLC supported

**MODEL: SVD5GN-AHD-5MP**

**5 Mega Pixel**



1/2.9" HD CMOS Image Sensor  
5 MP H/Resolution  
3.6 mm fixed lens (6 mm opt.)  
12 IR Range upto 15 to 20 Mtr  
Support AHD/CVI/TVI/CVBs  
3 DDNR, AGC, AWB, BLC supported

**MODEL: SVB2GN-AHD-2MP**

**2 Mega Pixel**



1/2.9" HD CMOS Image Sensor  
2 MP H/Resolution (1080P)  
3.6 mm fixed lens (6 mm opt.)  
Smart IR 1S to 20 Mtr  
Support AHD/CVI/TVI/CVBs  
3 DDNR, AGC, AWB, BLC supported

**MODEL: SVB5GN-AHD-5MP**

**5 Mega Pixel**



1/2.9" HD CMOS Image Sensor  
5 MP H/Resolution  
3.6 mm fixed lens (6 mm opt.)  
12 IR Range upto 15 to 20 Mtr  
Support AHD/CVI/TVI/CVBs  
3 DDNR, AGC, AWB, BLC supported

## COLOUR NIGHT VISION AHD INDOOR OUTDOOR CAMERA

**MODEL: SVD2CN-AHD-2MP**

**2 Mega Pixel**



1/2.9" HD CMOS Image Sensor  
2 MP H/Resolution  
3.6 mm fixed lens (6 mm opt.)  
2 Warm Led Range upto 20 to 2S Mtr  
Support AHD/CVI/TVI/CVBs  
3 DDNR, AGC, AWB, BLC supported

**MODEL: SVD5CN-AHD-5MP**

**5 Mega Pixel**



1/2.8" HD CMOS Image Sensor  
5 MP H/Resolution  
3.6 mm fixed lens (6 mm opt.)  
2 Warm Led Range upto 20 to 25 Mtr  
Support AHD/CVI/TVI/CVBs  
3 DDNR, AGC, AWB, BLC supported

**MODEL: SVB2CN-AHD-2MP**

**2 Mega Pixel**



1/2.9" HD CMOS Image Sensor  
2 MP H/Resolution  
3.6 mm fixed lens (6 mm opt.)  
2 Warm Led Range upto 20 to 2S Mtr  
Support AHD/CVI/TVI/CVBs  
3 DDNR, AGC, AWB, BLC supported

**MODEL: SVB5CN-AHD-5MP**

**5 Mega Pixel**



1/2.8" HD Image Sensor  
5 MP H/Resolution  
3.6 mm fixed lens (6 mm opt.)  
2 Warm Led IR Range upto 20 to 2S Mtr  
Support AHD/CVI/TVI/CVBs  
Day/Night, DNR, AGC, AWB, BK  
W/P Standard IP-66

# SPECIAL AHD CAMERA

**MODEL: SVD2CN-AHDS-2MP**

**2 Mega Pixel**



1/2.9" HD EMOS Image Sensor  
2 MP M/Resolution (1080P)  
2.6 mm fixed lens  
12 IR Range upto 15 to 20 mtr  
Support AHD/CVI/TVI/CVBs  
3 DDNR, AGC, AWB, BLC supported

**MODEL: SVB2CN-AHDS-2MP**

**2 Mega Pixel**



1/2.S" HD CMOS Image Sensor  
2 MP M/Resolution (1080P)  
2.6 mm fixed lens  
12 IR Range upto 15 to 20 mtr  
Support AHD/CVI/TVI/CVBs  
3 DDNR, AGC, AWB, BLC supported

**MODEL: SVFE2CN-AHDS-2MP**

**2 Mega Pixel**



1/2.9" HD CMOS Image Sensor  
2 MP M/Resolution  
16 mm fixed lens  
6 Array LED Range upto 15 to 20 mtr  
Support AHD/CVI/TVI/CVBs  
Day/Night, DNR, AGC, AWB, BLC

**MODEL: SVVF2CN-AHDS-2MP**

**2 Mega Pixel**



1/2.9" CMOS Image Sensor  
2 MP H/Resolution (1080p)  
2s to 12 mm VF lens (4x)  
24 Smart IR LED  
Maximum 25 FPS @1080  
W/P standard IP-66

## DIGITAL VIDEO RECORDER AHD | TVI | CVI

**4CH/8CH/16CH**

**5 Mega Pixel**



Support AHD, CUBs, TVI, M, IP Self adaptive  
Support VGJ, HDMI, full HD  
output simultaneously  
Support multiple cloud technology, network  
penetration alarm information pushed to your  
phone and other function  
Support WEB, CMS Platform 5 MP-NSupported  
Support multiple network services  
(support DHCP, FTP, DNS, DDNS, NTP, UPNP,  
EMAIL, IP search, Alarm Centre etc)

## AHD PTZ CAMERA

**MODEL: SVPTZ5CN-AHDS-5MP**

**5 Mega Pixel**



1/2.8" CMOS Image Sensor  
2| SMP H/Resolution  
36X Zoom lens  
8 Big IR LED range upto 100-120mtr  
Day/Night, DNR, AWB, AGC, BLC  
W/P Standard IP-66

## POE SWITCH

**4CH/8CH/16CH**

**POE SWITCH**



4+2 10 To 100 Mbps  
8+2 10 To 100 Mbps  
8+2 10 To 1000 Mbps Up-link Giga  
8+2 1000 Mbps Full Giga  
16+2 10 To 1000 Mbps Up-link Giga

## DVR POWER SUPPLY

**SMPS POWER SUPPLY**

**5A | 10A | 20A**



## WIFI CAMERA RANGE

### 2MP IP WIFI Onvif CAMERA

2 Mega Pixel



**MODEL: SS1999-WP-IP/SS1470-DI-4P**  
 3.6mm HD lens ,CMOS sensor  
 H. 265 main profile video compression  
 P2P technology, plug and play  
 TF card maximum support 128G  
 Wired Ethernet or Wireless Wi-Fi connection  
 Motion detection, email alert, FTP upload.  
 Support two way audio, multiple users viewing  
 Support night vision ,15m IR distance  
 Ethernet port and two antenna

### 2MP IP WIFI PTZ V380 PRO

2 Mega Pixel



**2MP IP WIFI PTZ Y360 PRO**  
 APP:V380 Pro, System structure:  
 Resolution:2.0MP Network connection:  
 WIFI, AP hotspot , WIFI wireless transmission  
 (support IEEE802.11b/g/n wireless protocol)

### 2MP IP WIFI CAMERA

2 Mega Pixel



**MODEL : SS288DI-JP**  
 APP:V380 Pro, System structure:  
 Resolution:2.0MP, Sensor  
 LED quantity:4pcs white LED + 2pcs Infrared LED,  
 Network connection:WIFI, AP hotspot ,  
 WIFI wireless transmission  
 (support IEEE802.11b/g/n wireless protocol).

### 2MP ROBOT CAMERA

2 Mega Pixel



2MP Robot Camera  
 APP:V380 Pro

## 4G WIFI CAMERA

### IP 3MP DOME CAMERA

3 Mega Pixel



**3MP 4G SIM BASE CAMERA**  
 resolution: 3 MP (2304x1296),  
 Lens: 3.6mm , Audio in: Built-in Mic,  
 Audio out: Built-in Speaker (loud and clear sound),  
 Communication: 2 Way, 4G Sim Card and SD Card  
 with proper protection, Connection Mode: 4G Sim,  
 Storage: SD Card 128GB Max

### IP 3MP BULLET CAMERA

3 Mega Pixel



**3MP 4G SIM BASE CAMERA**  
 Camera Resolution: 3 MP (2304x1296),  
 Lens: 3.6mm , Audio in: Built-in Mic,  
 Audio out: Built-in Speaker (loud and cle  
 Communication: 2 Way, 4G Sim Card an  
 with proper protection, Connection Mode:  
 4G Sim, Storage: SD Card 128GB Max

## 4G SIM BASE ROUTER

### 4G ROUTER OUTDOOR

WIFI ROUTER



4G (All SIM Support)  
 INDOOR | OOUTDOOR USE  
 POWER : 220v  
 CAT6 Cable  
 POWER CABLE

### 4G ROUTER

WIFI ROUTER



**LAN PORT**  
 3 Antenna WIFI  
 4G (All SIM Support)  
 Power Adapter CAT6 Cable  
 Access Point Function



## GET IN TOUCH



Ground Floor, Chandra Planet, Ring Road No. 1,  
Near Ashoka Millennium, Raipur, Chhattisgarh 492001



[stitsraipur@gmail.com](mailto:stitsraipur@gmail.com)



Call : 1800-123-52952  
Whatsapp : +91-98271-52952  
Office No. : 0771-4004004



[sonivision.co.in](http://sonivision.co.in)